



Fuzzy Logic and Neural Network for Diagnosis of Chronic Disease

Anuj Sharma, Bala Buksh

Research Scholar, Department of Computer Science and Engineering, Career Point University, Kota, Raj
 Ex-Director R.N Modi Engineering College Kota, Raj., India
Email: sharmaanuj81@gmail.com

Abstracts - Chronic Disease is closely linked with the blood or bone marrow. Chronic Disease is regard as cancer of the blood cells (usually white blood cells). The abnormal white blood cells formed in Chronic Disease also accumulate in the organs of the body such as the spleen, liver, lymph nodes, testes, and brain, and interfere with normal functioning of the organ. Chronic Disease is of four common type; Acute lymphocytic Chronic Disease, acute myelogenous Chronic Disease, Chronic lymphocytic Chronic Disease and chronic myelogenous Chronic Disease. Chronic Disease symptoms are predominantly paleness, fatigue, bone pain, asthemia, palpitation, frequent infection, nose bleeding and thrombocytopenia. Neuro-Fuzzy Logic explores approximation techniques from neural networks to finds the parameter of a fuzzy system. In this paper, the traditional procedure for the medical diagnosis of Chronic Disease employed by physician is analyzed using neuro-fuzzy inference procedure. From the system designed if the patient is having five or more of the enlisted symptoms, the patient is experiencing “severe Chronic Disease” and should go for treatment urgently. If it is approximately four of the symptoms the patient is experiencing, the patient “might be suffering from Chronic Disease” and hence should see a physician right away, but if it is three or less of the enlisted symptoms, the patient is not “suffering from Chronic Disease”. The system which demonstrates the practical application of Information and Communication Technology (ICT) in the health sector is interactive and tells the patient his current condition as regards Chronic Disease.

Keywords: Neural Network, Fuzzy Logic, Neuro Fuzzy System, Expert System, Chronic Disease.

1. INTRODUCTION

Knowledge-based expert systems, or simply expert systems, use human knowledge to solve problems that normally would require human intelligence. These expert systems represent the expertise knowledge as data or rules within the computer. These rules and data can be called upon when needed to solve problems. Books and manuals have a tremendous amount of knowledge but a human has to read and interpret the knowledge for it to be used. Most expert systems are developed via specialized software tools called shells. These shells come equipped with an inference mechanism (backward chaining, forward chaining, or both), and require knowledge to be entered according to a specified format (PCAI, 2000). Chronic Disease (Cancer of the blood cells, usually white blood cells) is a type of cancer that occurs in the blood or bone marrow. Chronic Disease causes an uncontrolled growth of abnormal white blood cells, the infection fighting cells in the blood. Chronic Disease is one of the most common types of cancer and one of the top ten killers’ cancers (Healthline, 2011 and Wrong Diagnosis, 2011) Chronic Disease is a general term for four types of malignant disease of the blood and bone marrow (Medicine Net, 2011 and Wrong Diagnosis, 2011). These include acute lymphocytic Chronic

Disease and acute myelogenous Chronic Disease, which progress rapidly. The other forms of Chronic Disease, chronic lymphocytic Chronic Disease and chronic myelogenous Chronic Disease, progress more slowly. Chronic Disease is most treatable and curable if caught in the earliest stages of the disease. Untreated and/or advanced Chronic Disease results in a proliferation of abnormal white blood cells that spread throughout the Blood stream. These abnormal cells crowd out normal white blood cells. The abnormal white blood cells are not able to fight infections as effectively as the normal white blood cells. This results in increased infection (Wrong Diagnosis, 2011) . The abnormal white blood cells of Chronic Disease also crowd out red blood cells, resulting in anemia, a low number of red blood cells. Chronic Disease also results in lower numbers of platelet cells in the blood, which are needed for normal clotting. This results in impaired clotting. The abnormal white blood cells formed in Chronic Disease also accumulate in the organs of the body, such as the spleen, liver, spleen, lymph nodes, testes, and brain, and interfere with normal organ functioning (Best medicine, 2011). Neural-Fuzzy is a fusion of neural network and fuzzy logic. Neuro-fuzzy system combines the advantages of both whilst eliminating their disadvantages. Using neuro-fuzzy logic the diagnosis of Chronic Disease will provide a

self-learning intelligent system that is capable of handling uncertainties in the diagnosis process.

2. LITERATURE REVIEW

The cause of many cases of Chronic Disease is unknown, but in some cases, Chronic Disease is caused by abnormalities in the chromosomes. People at risk for developing Chronic Disease include those who have been exposed to high doses of radiation, certain types of chemotherapy, or chemicals, such as benzene. Having Down syndrome or Fanconi's syndrome increases the risk as well. Additionally, certain viruses, such as Epstein-Barr virus, are associated with the development of Chronic Disease. Smoking also increases the risk of Chronic Disease (Wrong Diagnosis, 2011 and Medicine Net, 2011). Diagnosing Chronic Disease begins with taking a thorough personal and family medical history, including symptoms and risk factors for Chronic Disease. Diagnosis also includes completing a physical examination. Diagnostic testing includes a blood test called a complete blood count (CBC). A complete blood count will reveal the presence of high or low numbers of white blood cells, red blood cells and platelets. Other blood tests are also done to diagnose the specific type of Chronic Disease. A bone marrow test is also done to diagnose Chronic Disease. A bone marrow test involves using a needle to withdraw a sample of cells from the bone marrow, where blood cells are formed. The sample is examined under a microscope for the presence of the abnormal Chronic Disease cells. A diagnosis of Chronic Disease can be missed or delayed because some symptoms of Chronic Disease are similar to those of other conditions. In addition, some people may not have symptoms in early stages of some forms of Chronic Disease. The prognosis for people with Chronic Disease varies depending on the type of Chronic Disease and other factors. However, many types of Chronic Disease can be effectively treated and some can be cured. Survival rates for Chronic Disease have risen dramatically in the last four decades due to improvements in treatment. Treatment of Chronic Disease varies, depending on the specific type of Chronic Disease, the patient's age, health history, overall health status, and other factors. Treatment may include chemotherapy, bone marrow transplant and enrollment in clinical trials (Bestmedicine, 2011; Healthline, 2011; MedicineNet, 2011 and Wrong Diagnosis, 2011).

Neural network (NN) consists of an interconnected group of neurons (Ponniyin, 2009). Artificial Neural Network (ANN) is made up of interconnecting artificial neurons (Programming constructs that mimic the properties of biological neurons). A Neural Network is an analog and parallel computing system. A neural network is made up of a number of very simple processing elements that communicate through

a rich set of interconnections with variable weights or strength. ANN (subsequently referred to as NN) is used in solving artificial intelligence problems without creating a model of a real biological system. NN processes information using connectionist approach to computation. It changes its structures based on internal or external information that flows through the network during the learning phase. NN can be used to model complex relationship between input and output or find patterns in data. The term network in the term "Artificial Neural Network" arises because the function $f(x)$ is defined as a composition of other function $g_i(x)$ which can further be defined as a composition of the other functions (Gary and George, 2002). Figure 1 presents a simple NN which comprises of three layers (Input, Hidden and Output layers).




Fig 1: A simple Neural Network

The NN presented in Figure 1, comprises of a layer of "input" connected to a layer of "hidden" units, which is in turn connected to a layer of "output" units. The activity of the input unit represents the raw information that is fed into the network; the activity of the hidden units is determined by the activity of the input unit and the weights between the hidden and output units. The hidden units are free to construct their own representation of the input; the weights between

the input and hidden units determine when each hidden unit is active, and so by modifying these weights, a hidden unit can choose what it represents (Christos and Dimitros, 2008). NN employs learning paradigm that includes supervised, unsupervised and reinforcement learning (Wikipedia, 2010) NN has been applied in stock market prediction, credit assignment, monitoring the condition of machinery and medical diagnosis (Alesander and Morton, 1995; Bishop, 1995; Poa, 1989; Valid and Gholam, 2009 and Wikipedia, 2010). Application of NN in medical diagnosis includes electronic noses and diagonal of cardiovascular systems (Eklund and Fuller, 1993 and Wikipedia, 2010). NN are ideal in recognizing diseases using scans. They learn by example, hence details of how to recognize the disease is not needed. What is needed is set of examples that are representatives of all the variation of the disease. However, NN cannot handle linguistic information

and also cannot manage imprecise or vague information (Akinyokun, 2002). Fuzzy Logic (FL) is a branch of machine intelligence (Artificial Intelligence) that helps computers paint vivid pictures of the uncertain world. Fuzzy sets were introduced by Zadeh (1965) as a means of representing and manipulating data that are not precise, but rather fuzzy. Fuzzy logic provides an inference morphology that helps appropriate human reasoning capabilities to be applied to knowledge based systems. The theory of fuzzy logic provides a mathematical strength to capture the uncertainties associated with human cognitive processes, such as thinking and reasoning. A fuzzy set is called triangular fuzzy number (Figure 2) with peak (center) a , left width $\alpha > 0$ and right width $\beta > 0$ if its membership function has the form:

$$A(t) = \begin{cases} 1 - t/\alpha & \text{if } a - \alpha \leq t \leq a \\ 1 - (t - a)/\beta & \text{if } a \leq t \leq a + \beta \\ 0 & \text{otherwise} \end{cases}$$

and we use the notation $A = (a, \alpha, \beta)$. It can easily be shown that

$$[A]^\gamma = [a - (1 - \gamma)\alpha, a + (1 - \gamma)\beta], \forall \gamma \in \{0, 1\}.$$

The support of A is $(a - \alpha, a + \beta)$.




Fig 2: Triangular Fuzzy Membership Number

Fuzzy systems often learn their rules from experts. When no expert gives the rules, adaptive fuzzy systems learn by observing how people regulate real systems (Leondes, 2010). The difference between classical and fuzzy logic is something called “the law of excluded middle” (Bart and Satoru, 1993). In standard set theory, an object does or does not belong to a set. There is no middle ground. In such bivalent systems, an object cannot belong to both its set and its complement set or to neither of them. This principle preserves the structure of the logic and avoids the contradiction of object that both is and is not a thing at the same time Zadeh (1965).

However, fuzzy logic is highly abstract and employs heuristic (experiment) requiring human experts to discover rules about data relationship.

Fuzzy Neural Network or Neuro-Fuzzy system is a learning machine that finds the parameters of a fuzzy system (i.e., fuzzy sets, fuzzy rules) by exploiting approximation techniques from neural networks (Statsoft Incorporated, 2008). Neuro-fuzzy refers to the combination of artificial neural network and fuzzy

logic. It eliminates the individual weaknesses of neural network and fuzzy logic while making use of their best advantages. Fusion of neural network and fuzzy logic (that is Neuro-fuzzy) is interesting (Eklund and Fuller, 1993; Johnson, 1993; Kosaka, 1991; Nauck, 1996; Stathacopoulou et al., 2004 and Wong et al., 2002). Neuro-fuzzy system for the diagnosis of Chronic Disease will provide a self-learning and adaptive system that is able to handle uncertain and imprecise data.

3. METHODOLOGY

The process for the medical diagnosis of Chronic Disease starts when an individual consults a physician (doctor) and presents a set of complaints (symptoms). The physician then requests further information from the patient or from others close to him who knows about the patient’s symptoms in severe cases. Data collected include patient’s previous state of health, living condition and other medical conditions. A physical examination of the patient condition is conducted and in most cases, a medical observation along with medical test(s) is carried out on the patient prior to medical treatment.

From the symptoms presented by the patient, the physician narrows down the possibilities of the illness that corresponds to the apparent symptoms and make a list of the conditions that could account for what is wrong with the patient. These are usually ranked in the order (Low, Moderate and high). The physician then conducts a physical examination of the patient, studies his or her medical records and ask further questions, as he goes in an effort to rule out as many of the potential physician is certain of the condition present; further medical test are performed or schedule such as medical imaging, scan, X-rays in part to conform or disprove the diagnosis or to update the patient medical history. Other Physicians, specialist and expert in the field may be consulted (sought) for further advices. Despite all these complexities, most patient consultations are relatively brief because many diseases are obvious or the physician’s experience may enable him to recognize the condition quickly. Upon the completion of the diagnosis by the physician, a treatment plan is proposed, which includes therapy and follow-up (further meeting and test to monitor the ailment and progress of the treatment if needed).

Review of diagnosis may be conducted again if there is failure of the patient to respond to treatment that would normally work. The procedure of diagnosing a patient suffering from Chronic Disease is synonymous to the general approach to medical diagnosis. The physician may carry out a precise diagnosis, which requires a complete physical evaluation to determine whether the patient have Chronic Disease. The examining physician accounts for possibilities of having Chronic Disease through an interview,

physical examination and laboratory test. Many primary health care physicians may require tools for Chronic Disease evaluation. Neuro-fuzzy inference procedure is applied to the diagnosis of Chronic Disease using the model prescribed in Figure 3. The Expert system using the neuro-fuzzy model is developed in an environment characterized by Microsoft Window XP Professional operating system, Microsoft Access Database Management system, Visual Basic Application Language and Microsoft Excel. Neuro-Solution and Crystal Report were used for Neural Networks analysis and graphical representation respectively.

4. RESULT AND DISCUSSION

To design our Neuro-fuzzy system for diagnosis of Chronic Disease, we designed a system which consists of a set of symptoms needed for the diagnosis (here, we are using fourteen basic and major symptoms):

(a). Paleness. (b). Shortness of breath. (c). Nose bleeding. (d). Frequent Infection. (e). Anaemia. (f). Epistaxis. (g). Bone pain. (h). Thrombocytopenia. (I). Granulocytopenia. (j). Asthemia. (k). Palpitations. (l.) Digestive bleeding. (m). Enlarge Spleen. (n.) Fatigue.




Figure 3 : Neuro-fuzzy expert system for the diagnosis of Chronic Disease

The knowledge base consists of the database, which consist of fourteen basic parameters mentioned earlier. The values of the parameters are often vague (fuzzy) and imprecise hence the adoption of fuzzy logic in the model as means of analyzing these data. These parameters therefore constitute the fuzzy parameter of the knowledge base. The fuzzy set of parameters is represented by 'P', which is defined as $P = \{P_1, P_2, \dots, P_n\}$ where P_i represents the j th parameter and n is the number of parameter (in this case $n=14$). The set of linguistic values which is modeled as a linker scale denoted by 'L' is given as $L = \{\text{Low, Moderate and High}\}$. Neural networks

provide the structure for the parameters, which serves as a platform for the inference engine. The inference engine consists of reasoning algorithm driven by production rules. These production rules are evaluated by using the forward chaining approach of reasoning (Nauck, 1996). The inference mechanism is fuzzy logic driven. The cognitive filter of the decision support engine takes as input the output report of the inference engine and applies the objective rules to rank the individual on the presence or absence of Chronic Disease disease. The emotional filter takes as input the output report of the cognitive filter and applies the subjective rules in the domain of studies in order to rank individuals on the extent of the Chronic Disease disease.

A universal set of symptoms of Chronic Disease disease is set up for diagnosis where the patient is expected to choose or pick from the set of symptoms fed into the system. We used a simple binary encoding scheme wherein the presence of a symptom is represented by 1 in the input vector and 0 otherwise (we call this the symptom vector). The operational procedure of the model is represented in Figure 4. The set of symptoms are fed into the network. The patient is expected to choose from the list of symptoms the one corresponding to what he/she is having




Figure 4 : Operational procedure of the neuro-fuzzy system for the diagnosis of Chronic Disease

If the patient is having five or more of the symptoms, he is having severe Chronic Disease and should go for treatment urgently. If it is approximately four of the symptoms he is having, he might be suffering from Chronic Disease and hence should see a physician right away, but if it is three or lesser of the symptoms, he may not be having Chronic Disease. A typical data set that contains the fourteen symptoms is presented in Table 1. This shows the degree of intensity of the symptoms. As the value tends to 1.0, the more the chances that the patient is suffering from Chronic Disease.

SYMPTOMS	DEGREE OF INTENSITY		
	With Leukemia	Might be Leukemia	Not Leukemia
Paleness	0.60	0.30	0.10
Shortness of Breath	0.30	0.55	0.15
Nose Bleeding	0.80	0.10	0.10
Frequent infection	0.68	0.15	0.17
Anaemia	0.32	0.60	0.08
Epistaxis	0.59	0.29	0.12
Bone pain	0.20	0.15	0.65
Thrombocytopenia	0.18	0.70	0.12
Granulocytopenia	0.50	0.50	0.00
Asthenia	0.60	0.20	0.20
Palpitation	0.55	0.25	0.20
Digestive Bleeding	0.77	0.13	0.10
Enlarge spleen	0.15	0.20	0.65
Fatigue	0.20	0.26	0.54
RESULT	With Leukemia	Might be Leukemia	Not Leukemia

Table 1 :Data Set showing the degree of intensity of Chronic Disease Symptoms Scale (0.00 –1.00)

Next, we create fuzzy logic membership functions that define the value of input/ output terms used in the rules. Membership functions are graphical function representation of the magnitude of the preparation of each input that is processed. Typical membership function is presented in Figure 5. Figure 6 shows that the height of the symptoms is 0.0, 0.5 or 1.0 and does not exceed 1.0. The fuzzy set however is zero, $X/4$ or one. From Figure 6, we say that when the fuzzy set is between zero and $X/4$, the person's condition is Low ("Not suffering from Chronic Disease"). When the fuzzy set is in-between zero and one, the condition is moderate ("might be suffering from Chronic Disease") and when it is between $X/4$ and one, the person's condition is high ("suffering from severe Chronic Disease").




Figure 5 : Membership Function for Chronic Disease

Further, we create the necessary pre and post processing. As inputs are received by the system, the rule based is evaluated. The antecedent, which is the (IF X AND Y), block test the input and produces a conclusion. The consequent (THEN Z) are satisfied while the others may not be. The conclusion is combined to form logical sums. The degree of membership (D.O.M) of Chronic Disease is represented in Figure 6.




Figure 6 : Analysis of Chronic Disease Symptoms

Defuzzification converts the rules base fuzzy output into non-fuzzy (numerical values). It reflects the interpretation of the logic of the different linguistic variable. The system can also be configured to handle not only Chronic Disease but, other kind of illness and diseases.

5. CONCLUSION

The need to design a system that would assist physician in medical diagnosis of Chronic Disease cannot be over emphasized. This paper which demonstrates the practical application of Information and Communication Technology (ICT) in the health sector, presented a hybrid Neuro-Fuzzy Expert System to help in diagnosis of Chronic Disease using a set of symptoms. This system which uses a set of fuzzified data set incorporated into neural network system is more precise than the traditional system. The system designed is an interactive system that tells the patient his current condition as regards Chronic Disease. It should however be noted that the system was not designed to give prescription of Chronic Disease drugs to patients but can also be expanded to do so in subsequent research. A system of this nature that has the ability to diagnose a person suffering from Chronic Disease should be introduced in health care delivery centers and hospitals to help ease the work of physicians.

REFERENCES

- [1]. Akinyokun O.C. (2002), "Neuro-fuzzy expert system for evaluation of human Resource performance", First Bank of Nigeria Endowment Fund lecture Federal University of technology, Akure, Nigeria.
- [2]. Aleksander I. and Morton H. (1998), "An introduction to neural computing" 2nd Edition Computer Science press.
- [3]. Bishop C.M. (1995), "Neural Networks for pattern Recognition", Oxford University Press, United Kingdom.
- [4]. Eklund D. and Fuller R. (1993), "A Neural-Fuzzy Approach to medical Diagnostic" Gedemedic project, Abo Academy University, Development Centres heisnki, pp.210-225.



- [5]. Gary R. and George P.E. (2002), “Application of Neuro System to behavior Representation in Computer generated forces”, retrieved [http://:Cuil.com](http://Cuil.com).
- [6]. Johnson R.C. (1993), “Making the Neural-Fuzzy Connection”, Electronic Engineering Times, Cmp Publications, Manhasset, New York.
- [7]. Kasra Karvandian et al., (2008) “Emergent Tracheostomy in Two Patients with Acute Chronic Disease”, Comparing Surgical and Percutaneous Methods retrieved Journal of Medical Sciences 8 (1): 81 – 84.
- [8]. Kosaka M. (1991), “Application of Fuzzy Logic/Neural Network to Securities Trading Decision Support”, Conference Proceeding of the 1991 IEEE International Conference on Systems, man and Cybernetics, Vol.3, pp. 1913 –1918.